

LINKING TALISLIST TO TALISPRISM

The following instructions allow all TalisList 2.01 customers to link TalisList so that it searches TalisPrism instead of Talis Web. Please ensure that you secure the database you are making changes to by using a full dbdump before commencing with the following instructions.

1. Go to `/usr/opt/blcmp/talislist/app/WEB*/conf`.
2. Make a copy of the `terms.tag` and `talislist.conf` files you are amending. For example:
Cp terms.tag terms.tag.tweb
3. Make the following changes in **terms.tag**:
 - a. In section 12 WEB OPAC ADDRESSES change:
`com.talis.talislist.tagext.terminology.WebOPAC.address: http://128.0.5.104/www-bin/www_talis32?`
to the URL of your TalisPrism service, i.e.
`i.e.com.talis.talislist.tagext.terminology.WebOPAC.address: http://128.0.20.211:6080/TalisPrism/index.jsp`
 - b. In section 15 SHOPPING NAME AND ADDRESS SETTINGS change:
`com.talis.talislist.tagext.terminology.shopping.label1: WebOPAC`
to
`com.talis.talislist.tagext.terminology.shopping.label1: Prism`
and
`com.talis.talislist.tagext.terminology.shopping.address1: http://128.0.5.104/www-bin/www_talis32?www_welcome.tgml`
to the URL of your TalisPrism, i.e.
`com.talis.talislist.tagext.terminology.shopping.address1: http://128.0.20.211:6080/TalisPrism/index.jsp`
4. Save all changes.
5. Make the following changes in **talislist.conf**
 - a. In section 1 QUICK LINKS change
`com.talis.talislist.quicklink1.url: http://128.0.5.104/www-bin/www_talis32?nextpage=workid-detail&targetpage=title-search`
to the URL of your TalisPrism service i.e.
`com.talis.talislist.quicklink1.url: http://128.0.20.211:6080/TalisPrism/index.jsp`
 - b. Change
`com.talis.talislist.quicklink1.label: Title Search`
to
`com.talis.talislist.quicklink1.label: Prism Search`
 - c. The other quick links for Author search, Keyword search. Author/Keyword or Author/Title search should be commented out as this type of search does not exist in the same way as it did in TalisWeb.
6. Save all changes.
7. To complete the process, download the **talislist_v201_webopac_to_prism_upgrade** script and **TalisList_V2_01-patch.jar** patch from the Talis ftp server (ftp ftp.talis.com).
 - a. If you are unable to access the ftp server by name try using the following command at the ftp prompt:
open 194.80.17.40
 - b. Log in using your member login and password and enter the following commands:
cd talislist2.01
prompt
bin
get talislist_v201_webopac_to_prism_upgrade_prism_upgrade
get TalisList_V2_01-patch.jar
8. Once the script has arrived check that it is the correct size and give it the correct permissions to run:
-rw-r--r-- 1 talislist blcmp 5558 Jul 10 15:17 talislist_v201_webopac_to_prism_upgrade

```
chmod 755 talislist_v201_webopac_to_prism_upgrade
```

```
-rw-r--r-- 1 talislist blcmp 27229 Aug 14 12:03 TalisList_V2_01-patch.jar
```

```
chmod 755 TalisList_V2_01-patch.jar
```

9. To run the script you will need to be logged in as talislist.

```
cd /usr/opt/blcmp/talislist/setup_database
```

10. Enter the script name at the prompt followed by the name of the database you are running it against , for example:

```
talislist_v201_webopac_to_prism_upgrade
```

You will be asked the following questions so make sure you have the answers to hand:

Please enter name of the TalisList database name (e.g. prod_list)

Please enter the IP Address/Machine Name of the Prism machine (e.g. 128.0.5.104)

Please enter the Port Number of the Prism machine (e.g. 6080)

Please enter the Reference Name used to identify the Prism machine (e.g. Prism)

11. Once the script has completed. Move the patch file to /usr/opt/blcmp/talislist/app.

```
mv TalisList_V2_01-patch.jar /usr/opt/blcmp/talislist/app
```

This patch includes updates to 2 areas within TalisList and must be run for the links between TalisList and TalisPrism to run successfully.

12. To run the patch file please enter the following command. Make sure that you are in /usr/opt/blcmp/talislist/app:

```
pwd
```

```
/usr/opt/blcmp/talislist/app
```

```
jar xf /usr/opt/blcmp/talislist
```

13. The TalisListTalisSync.sh will need to be amended to include the prism ENTRY_TYPE_ID. It is usually 5.

```
cd /usr/opt/blcmp/talislist/Sync
```

```
vi TalisListTalisSync.sh
```

amend the following to include 5:

```
--EntryTypes=2,3,5
```

14. Save all changes

15. Once you have run the script and applied the patch the following steps should be run

a. Secure the database by running a full dbdump.

b. Remove the files in the work directory.

```
cd $TOMCAT_HOME/work
```

```
rm -r -f *
```

c. Stop and start tomcat to implement all the changes that you have made.